

**ESTIMATED NUMBER OF NEW CANCER CASES AND DEATHS BY STATE-- 2009**

STATE	All Sites		Brain and ONS		Female Breast		Uterine Cervix	
	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths
Alabama	24,090	9,900	310	200	2,970	700	190	80
Alaska	2,530	830	*	*	370	60	*	*
Arizona	27,600	10,260	470	280	3,470	740	210	80
Arkansas	14,800	6,230	200	130	1,820	410	130	60
California	152,170	54,600	2,340	1,460	21,740	4,030	1,350	460
Colorado	20,340	6,740	350	200	2,840	520	150	50
Connecticut	20,650	6,990	280	150	2,790	480	110	*
Delaware	4,690	1,860	70	50	600	110	*	*
Dist. of Columbia	2,600	970	*	*	340	70	*	*
Florida	102,210	41,270	1,500	810	12,650	2,730	800	310
Georgia	39,080	14,970	580	320	5,370	1,130	340	140
Hawaii	6,400	2,270	60	*	870	140	50	*
Idaho	6,800	2,450	120	90	810	160	*	*
Illinois	60,960	23,220	890	470	7,610	1,770	480	170
Indiana	31,320	12,820	450	290	3,710	860	220	80
Iowa	16,740	6,360	250	160	2,080	400	90	*
Kansas	13,080	5,290	220	150	1,790	370	90	*
Kentucky	24,060	9,410	310	150	2,840	590	180	60
Louisiana	22,170	8,810	300	210	2,700	690	190	80
Maine	9,000	3,190	120	80	1,080	180	50	*
Maryland	26,650	10,320	410	200	3,660	810	190	80
Massachusetts	36,080	13,140	530	270	4,800	870	200	50
Michigan	53,550	20,450	800	490	6,480	1,350	320	120
Minnesota	23,670	9,020	370	230	3,280	600	140	60
Mississippi	14,150	6,090	180	160	1,820	430	130	80
Missouri	30,090	12,620	440	270	3,880	890	220	100
Montana	5,340	1,980	80	50	640	120	*	*
Nebraska	8,810	3,360	140	80	1,200	210	60	*
Nevada	12,020	4,600	190	120	1,350	330	110	*
New Hampshire	7,630	2,620	110	70	1,010	170	*	*
New Jersey	47,920	16,480	670	320	6,440	1,470	410	140
New Mexico	8,830	3,300	130	80	1,090	240	80	*
New York	101,550	34,190	1,520	790	13,530	2,550	870	300
North Carolina	42,270	18,550	650	330	5,470	1,310	340	120
North Dakota	3,200	1,300	50	*	410	80	*	*
Ohio	62,420	24,350	870	550	7,340	1,790	390	170
Oklahoma	18,110	7,420	270	170	2,340	520	140	50
Oregon	19,210	7,380	320	210	2,680	500	110	*
Pennsylvania	74,170	28,690	970	550	9,380	2,070	500	150
Rhode Island	6,250	2,220	90	50	810	130	*	*
South Carolina	22,100	9,100	330	190	2,820	640	170	60
South Dakota	4,120	1,640	60	*	530	100	*	*
Tennessee	32,570	13,340	460	350	3,970	910	240	80
Texas	98,200	36,030	1,620	850	13,090	2,570	980	370
Utah	8,880	2,760	190	100	1,080	260	60	*
Vermont	3,550	1,150	50	*	480	80	*	*
Virginia	34,150	13,920	520	290	4,850	1,140	240	70
Washington	32,290	11,210	540	380	4,520	790	190	70
West Virginia	10,230	4,530	150	90	1,180	280	70	*
Wisconsin	27,560	11,170	420	260	3,480	750	160	50
Wyoming	2,500	990	*	*	300	60	*	*

\* <50 cases or deaths

State estimates may not sum to US total due to rounding and exclusion of fewer than 50 cases/deaths.

**ESTIMATED NUMBER OF NEW CANCER CASES AND DEATHS BY STATE-- 2009**

STATE	Colon & Rectum		Corpus Uteri		Esophagus		Kidney	
	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths
Alabama	2,480	940	510	100	250	210	880	210
Alaska	250	70	70	*	*	*	110	*
Arizona	2,680	970	660	100	330	290	1,110	270
Arkansas	1,540	580	310	50	140	130	590	140
California	14,680	4,830	4,230	780	1,330	1,250	5,580	1,260
Colorado	1,860	670	530	80	230	200	740	170
Connecticut	1,950	550	660	120	250	180	730	120
Delaware	440	150	140	*	60	50	180	50
Dist. of Columbia	260	100	80	*	*	*	100	*
Florida	10,420	3,460	2,590	470	1,140	1,030	3,970	820
Georgia	3,750	1,370	930	170	410	360	1,490	330
Hawaii	710	210	200	*	50	*	190	*
Idaho	630	200	170	*	90	80	240	70
Illinois	6,430	2,260	1,960	360	710	580	2,460	530
Indiana	3,260	1,130	970	180	360	330	1,300	320
Iowa	1,800	600	500	100	200	190	660	170
Kansas	1,290	510	400	60	140	120	510	130
Kentucky	2,620	840	590	90	250	220	940	210
Louisiana	2,330	910	430	90	230	190	1,050	240
Maine	870	260	270	*	130	120	300	60
Maryland	2,620	940	840	150	330	240	1,030	210
Massachusetts	3,380	1,070	1,140	190	500	430	1,320	260
Michigan	5,020	1,720	1,700	290	640	570	2,070	440
Minnesota	2,520	760	810	160	330	260	1,030	230
Mississippi	1,480	600	270	80	160	150	560	140
Missouri	3,100	1,100	870	160	370	300	1,250	310
Montana	520	170	140	*	70	60	190	50
Nebraska	950	350	270	60	110	100	340	90
Nevada	1,240	500	270	*	140	130	430	100
New Hampshire	730	220	240	*	110	100	260	60
New Jersey	4,590	1,580	1,620	310	480	410	1,750	360
New Mexico	810	320	210	50	100	90	350	100
New York	9,970	3,110	3,510	660	1,090	920	3,860	700
North Carolina	4,230	1,410	1,030	230	510	400	1,670	410
North Dakota	350	120	90	*	*	*	120	*
Ohio	6,060	2,210	1,930	340	730	720	2,590	580
Oklahoma	1,860	600	400	90	220	180	730	210
Oregon	1,780	610	570	90	240	230	730	170
Pennsylvania	7,590	2,550	2,550	480	890	830	2,860	650
Rhode Island	590	160	190	*	80	70	230	60
South Carolina	2,150	780	520	120	280	230	860	190
South Dakota	440	150	120	*	60	50	160	*
Tennessee	3,490	1,140	720	140	320	290	1,300	280
Texas	9,800	3,140	2,220	450	910	800	4,520	1,040
Utah	770	240	250	*	80	70	290	70
Vermont	330	120	120	*	50	*	110	*
Virginia	3,380	1,270	1,020	200	380	340	1,310	300
Washington	2,890	940	960	170	350	340	1,150	290
West Virginia	1,070	430	330	60	120	110	410	100
Wisconsin	2,770	900	1,000	160	370	360	1,070	270
Wyoming	240	100	70	*	*	*	90	*

\* <50 cases or deaths

State estimates may not sum to US total due to rounding and exclusion of fewer than 50 cases/deaths.

**ESTIMATED NUMBER OF NEW CANCER CASES AND DEATHS BY STATE-- 2009**

STATE	Larynx		Leukemia		Liver		Lung & Bronchus	
	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths
Alabama	240	90	590	340	290	280	4,040	3,140
Alaska	*	*	70	*	60	*	350	220
Arizona	180	60	810	410	440	360	3,960	2,820
Arkansas	150	*	420	250	200	190	2,580	2,160
California	870	290	4,570	2,200	3,310	2,450	17,910	12,750
Colorado	110	*	720	300	290	210	2,240	1,670
Connecticut	140	*	540	270	270	210	2,720	1,810
Delaware	*	*	120	70	70	50	800	590
Dist. of Columbia	*	*	50	50	50	*	370	240
Florida	1,080	340	3,180	1,650	1,550	1,300	17,790	12,210
Georgia	400	110	1,080	550	480	400	6,150	4,660
Hawaii	*	*	160	80	180	120	740	570
Idaho	*	*	250	120	90	80	820	630
Illinois	550	140	1,940	950	850	700	9,180	6,460
Indiana	280	80	930	520	360	350	5,360	4,000
Iowa	120	*	590	300	170	150	2,620	1,760
Kansas	100	*	380	200	160	140	2,110	1,620
Kentucky	250	70	690	320	250	240	4,650	3,430
Louisiana	250	70	660	310	390	330	3,650	2,700
Maine	70	*	270	110	90	80	1,390	980
Maryland	240	70	640	390	420	320	4,060	2,880
Massachusetts	250	70	1,000	490	530	420	5,120	3,610
Michigan	470	140	1,690	820	710	610	8,190	5,840
Minnesota	190	50	890	370	330	260	3,310	2,380
Mississippi	160	*	360	220	200	190	2,340	2,030
Missouri	280	70	880	530	390	360	5,600	4,100
Montana	*	*	170	90	60	50	730	550
Nebraska	60	*	290	150	100	80	1,230	890
Nevada	80	*	380	140	220	160	1,910	1,340
New Hampshire	50	*	210	100	90	70	1,100	750
New Jersey	340	110	1,380	610	720	540	6,250	4,190
New Mexico	60	*	310	120	190	150	970	710
New York	810	220	3,140	1,380	1,820	1,210	13,550	8,780
North Carolina	450	130	1,150	640	540	470	6,670	5,630
North Dakota	*	*	110	50	*	*	420	370
Ohio	550	170	1,950	890	720	640	10,690	7,300
Oklahoma	160	50	580	290	250	200	3,220	2,390
Oregon	110	*	490	290	260	210	2,610	2,140
Pennsylvania	580	180	2,200	1,080	970	790	10,480	8,090
Rhode Island	50	*	180	90	90	70	900	560
South Carolina	250	70	590	330	290	250	3,680	2,880
South Dakota	*	*	140	60	*	*	590	450
Tennessee	340	110	1,000	480	360	350	5,370	4,520
Texas	860	260	3,470	1,430	2,150	1,650	14,150	9,780
Utah	*	*	330	130	90	70	620	480
Vermont	*	*	100	60	*	*	500	350
Virginia	310	90	840	500	430	390	5,330	4,250
Washington	180	60	990	450	520	410	4,130	3,090
West Virginia	110	*	290	140	120	110	2,030	1,500
Wisconsin	230	70	980	500	340	320	3,960	2,910
Wyoming	*	*	70	*	*	*	320	260

\* <50 cases or deaths

State estimates may not sum to US total due to rounding and exclusion of fewer than 50 cases/deaths.

**ESTIMATED NUMBER OF NEW CANCER CASES AND DEATHS BY STATE-- 2009**

STATE	Melanoma		Myeloma		Non Hodgkin Lymph		Oral Cavity	
	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths
Alabama	930	140	340	210	950	290	830	140
Alaska	80	*	*	*	110	*	*	*
Arizona	1,460	190	320	210	1,250	350	510	140
Arkansas	500	80	210	100	680	200	480	100
California	9,080	980	2,150	1,060	7,140	1,900	3,540	840
Colorado	1,260	130	250	150	920	230	600	110
Connecticut	1,260	120	270	140	920	220	140	70
Delaware	220	*	60	*	190	50	90	*
Dist. of Columbia	70	*	60	*	90	*	*	*
Florida	4,920	680	1,430	700	4,640	1,560	3,210	550
Georgia	2,040	210	570	290	1,560	460	890	220
Hawaii	320	*	70	*	260	80	90	*
Idaho	380	50	80	50	330	80	420	*
Illinois	2,010	340	890	430	2,900	770	980	300
Indiana	1,170	200	400	240	1,420	420	590	150
Iowa	910	80	260	120	750	280	740	100
Kansas	610	90	180	110	600	180	210	60
Kentucky	1,260	160	310	160	980	300	710	130
Louisiana	630	100	360	150	960	310	470	140
Maine	480	50	100	60	360	90	230	*
Maryland	1,310	160	400	220	1,120	300	230	140
Massachusetts	2,030	210	440	240	1,610	430	550	180
Michigan	2,240	260	730	410	2,470	710	1,040	270
Minnesota	890	120	350	200	1,130	320	180	120
Mississippi	380	70	210	110	540	180	100	100
Missouri	1,260	210	400	240	1,250	430	710	150
Montana	220	*	70	*	240	70	210	*
Nebraska	420	60	120	60	400	130	400	*
Nevada	480	80	140	80	480	130	300	70
New Hampshire	460	50	90	50	310	60	80	*
New Jersey	2,530	240	640	280	2,160	610	670	200
New Mexico	460	50	120	60	360	110	480	*
New York	3,710	450	1,520	600	4,540	1,430	1,250	400
North Carolina	2,190	280	640	370	1,730	530	5,830	230
North Dakota	110	*	50	*	140	*	240	*
Ohio	2,080	340	820	460	2,800	740	450	360
Oklahoma	690	130	250	120	820	240	690	90
Oregon	1,220	130	250	160	910	330	780	110
Pennsylvania	3,440	430	950	510	3,330	1,090	940	330
Rhode Island	340	*	70	*	260	70	100	*
South Carolina	1,090	120	330	150	870	310	590	120
South Dakota	180	*	60	*	180	70	170	*
Tennessee	1,410	190	430	260	1,370	440	280	200
Texas	3,820	520	1,600	690	4,530	1,300	2,520	520
Utah	600	70	110	70	440	130	340	*
Vermont	200	*	50	*	140	*	*	*
Virginia	1,790	230	470	290	1,450	410	460	160
Washington	1,970	200	420	190	1,540	410	700	220
West Virginia	450	60	130	70	420	180	170	60
Wisconsin	1,040	170	370	210	1,310	400	350	140
Wyoming	130	*	*	*	110	*	130	*

\* <50 cases or deaths

State estimates may not sum to US total due to rounding and exclusion of fewer than 50 cases/deaths.

**ESTIMATED NUMBER OF NEW CANCER CASES AND DEATHS BY STATE-- 2009**

STATE	Ovary		Pancreas		Prostate		Stomach	
	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths
Alabama	330	270	630	550	2,800	510	290	170
Alaska	*	*	60	50	360	*	*	*
Arizona	450	290	770	630	3,530	580	360	190
Arkansas	190	130	410	400	2,140	340	170	100
California	2,390	1,580	4,400	3,740	20,790	2,780	2,700	1,500
Colorado	340	210	550	430	3,070	350	240	120
Connecticut	290	180	640	540	2,400	390	330	160
Delaware	70	*	140	110	550	90	60	*
Dist. of Columbia	*	*	80	60	380	60	50	*
Florida	1,560	970	3,300	2,470	12,380	2,280	1,500	680
Georgia	580	400	1,010	870	5,210	800	530	290
Hawaii	90	50	220	170	860	100	190	90
Idaho	100	50	200	200	1,170	160	80	*
Illinois	820	600	1,860	1,560	7,590	1,150	930	480
Indiana	420	340	870	770	3,250	520	340	180
Iowa	210	170	460	380	2,330	330	180	90
Kansas	190	150	390	330	1,970	210	130	70
Kentucky	280	210	560	500	2,910	390	250	130
Louisiana	280	210	660	530	3,160	450	340	200
Maine	120	70	240	200	1,130	160	100	50
Maryland	420	260	800	690	3,580	550	370	210
Massachusetts	540	350	1,010	880	4,200	540	470	210
Michigan	740	520	1,520	1,250	7,010	820	710	350
Minnesota	390	240	700	580	4,910	410	300	140
Mississippi	170	140	370	350	1,990	300	190	120
Missouri	400	290	860	750	3,620	660	320	190
Montana	80	50	130	120	810	120	70	*
Nebraska	120	90	230	190	1,410	200	90	*
Nevada	180	120	330	280	1,660	230	170	90
New Hampshire	110	60	200	170	910	130	80	*
New Jersey	680	450	1,380	1,080	6,060	660	830	370
New Mexico	140	90	260	220	1,400	210	150	90
New York	1,530	970	3,140	2,360	12,520	1,470	1,960	840
North Carolina	630	430	1,230	1,090	6,130	860	620	270
North Dakota	*	*	100	90	560	100	*	*
Ohio	820	580	1,770	1,430	6,510	1,200	800	350
Oklahoma	260	170	480	380	2,190	280	200	100
Oregon	300	220	520	470	2,510	390	220	110
Pennsylvania	1,070	760	2,100	1,920	8,130	1,440	1,000	470
Rhode Island	90	60	160	120	650	100	100	*
South Carolina	310	210	630	530	2,910	420	320	180
South Dakota	60	50	110	100	740	100	50	*
Tennessee	430	310	870	730	4,790	570	350	180
Texas	1,420	890	2,780	2,120	13,130	1,700	1,470	790
Utah	140	90	230	190	1,570	170	100	*
Vermont	50	*	90	70	540	60	*	*
Virginia	530	380	1,020	880	4,830	620	430	270
Washington	510	340	880	710	4,680	680	400	200
West Virginia	150	120	250	210	1,210	140	120	60
Wisconsin	420	300	810	710	2,770	500	320	160
Wyoming	*	*	70	60	390	*	*	*

\* <50 cases or deaths

State estimates may not sum to US total due to rounding and exclusion of fewer than 50 cases/deaths.

**ESTIMATED NUMBER OF NEW CANCER CASES AND DEATHS BY STATE-- 2009**

STATE	Urinary Bladder	
	Cases	Deaths
Alabama	960	220
Alaska	120	*
Arizona	1,460	280
Arkansas	610	120
California	6,870	1,490
Colorado	940	180
Connecticut	1,120	210
Delaware	220	60
Dist. of Columbia	90	*
Florida	5,490	1,120
Georgia	1,400	310
Hawaii	220	*
Idaho	340	70
Illinois	3,100	600
Indiana	1,550	300
Iowa	870	160
Kansas	620	120
Kentucky	1,070	220
Louisiana	910	190
Maine	500	110
Maryland	1,110	250
Massachusetts	2,010	390
Michigan	2,810	520
Minnesota	1,200	240
Mississippi	540	110
Missouri	1,450	280
Montana	270	50
Nebraska	450	80
Nevada	630	140
New Hampshire	420	80
New Jersey	2,640	490
New Mexico	350	80
New York	5,360	880
North Carolina	1,790	380
North Dakota	180	*
Ohio	2,990	670
Oklahoma	770	180
Oregon	1,020	220
Pennsylvania	4,160	780
Rhode Island	370	80
South Carolina	880	190
South Dakota	230	*
Tennessee	1,380	280
Texas	3,720	810
Utah	360	70
Vermont	190	*
Virginia	1,430	330
Washington	1,660	330
West Virginia	510	110
Wisconsin	1,530	340
Wyoming	130	*

\* &lt;50 cases or deaths

State estimates may not sum to US total due to rounding and exclusion of fewer than 50 cases/deaths.